1.Download tkstar gps app software

Method 1: direct search TKSTAR GPS in the app store, download and install

Method 2: direct access to the site links to download:

https://itunes.apple.com/en/app/id725581895?mt=8

2.Download TKSTAR GPS APP

2.1 IMEI log in，Select Vehicle Number or IMEI, Put IMEI Number into Vehicle Number or IMEI， Password by default：123456
Note：IMEI No. : In the back side of cover

2.2 Account login, select the Account, enter the Account and password landed.
Note: the account, need to be provided by sales, a single user use IMEI log in.

3.Show following interface after log in：

Home：The main interface
Map：APP mobile phone users' location
Alarm：Alarm record information of equipment
More：The version information of equipment

4.**Please click the device**
Enter the specific equipment positioning information, as follows:

4.1 Click on the upper right corner of the button ，Enter the equipment the following operation interface:

4.1.1Real-time Monitoring: For real-time tracking, can see the equipment real-time trend.

History Trace：To view the equipment arc of history on the APP

Device Alerts: For equipment alarm information

Device set ：Control equipment for APP equipment issued instructions

Cancel：Exit

4.1.2 Click Device Alerts，Show following interface:

Send commands through SMS: For issued instructions issued by the SMS, (note: this function for equipment binding SIM number at first, SIM card number binding need the web platform, in the edit account information, or IMEI Target Info to add a SIM card NO.

Send commands through platform: As issued by GPRS data transmission (note: GPRS, the issuance of the first APN Setting, guarantee the equipment on the platform is the online status to send success）

4.1.2.1 Click Send commands through SMS to enter following interface:

A: Please click Common to enter following command interface:

TKSTAR operation instruction is as follows: (note: SMS issued instructions must set the Master number at first, No expository instruction for TK - star is invalid)Set Master number：

Delete Master number：

Set SOS number：

Delete SOS number:

Set Move Alarm:

Disable Move alarm:

Set Over speed alarm:

Disable Over speed alarm

Real-time location query

Move upload frequency

B: Please click General to enter following command interface:

TKSTAR: The operating instructions are as follows: (note: SMS issued instructions must set the Master number at first, No expository instruction for TK - star is invalid)

Revise password： Modify the device password ,(note: it is not recommended to modify, if forgotten the revised password, use the Master number to send factory reset instruction)

Set APN: Set APN to make the device online

SOS alarm：Choose different kinds of alarm

SMS/GPRS model：The factory default is GPRS model, using the platform monitoring must be GPRS model

Listen and talk: Listening devices

Sever setting: By default, using our www.tkstargps.net platform without setting

Restart: Restart your device, if the device information failed to reply to the device for more than 5 minutes, can restart your device.

Restore factory settings: Can use the command to restore the factory if forgot password

Language：The factory default is English, have a choice in Chinese

Time zone：Choose your own time zone, the factory default is + 8 time zones

Set monitor mode：To make a phone call directly to listen

Set Positioning mode：Make a phone call directly to reply locate information

4.1.2.2 Please click Send commands through platform to enter following interface:

A: Please click Common to enter following command interface:

TKSTAR The operation instruction as below：(Note: no expository instructions for TK - star is invalid)

Set Master number：

Delete Master number：

Set SOS number：

Delete SOS number:

Set Move Alarm:

Disable Move alarm:

Set Over speed alarm:

Disable Over speed alarm

Real-time location query

Move upload frequency

B: Please click General to enter following interface:

TKSTAR Available command as following：(Note: no expository instructions for TK - star is invalid))

Revise password：Modify the device password, (note: it is not recommended to modify, if forgotten the revised password, use the Master number to send factory reset instruction)

SOS alarm：Choose different kinds of alarm

Listen and talk: Listening devices

Restart: Restart your device, if the device information failed to reply to the device for more than 5 minutes, can restart your device.

Restore factory settings: Can use the command to restore the factory if   forgot password

Language：The factory default is English, have a choice in Chinese

Time zone：Choose your own time zone, the factory default is + 8 time zones

Set monitor mode：To make a phone call directly to listen

Set Positioning mode：Make a phone call directly to reply locate information